

Series	Specifications	75 INCH NANO SMART BLACKBOARD
		Standard Series
Product Appearance	Screen	Flat, support chalk, water-soluble chalk and whiteboard pen writing
	Overall Size	L4200 mm*H1336 mm *W70 mm
	Centre Size	L2100 mm*H1336 mm *W70 mm
	Size Board Size	L1050 mm*H1260 mm *W70 mm
	Structure	Three splicing type, splicing gap<1mm
	Glass	AG 4mm Anti-glare tempered gray glass , Built-in
	Shell	Black Aluminium Alloy
	Edge Structure	Round Corner
	Magnetic Adsorption	Support
	Speaker*2	Standard configuration
LCD Panel	Screen Size	75 inch
	Display Area	1652*931mm
	Resolution	3840*2160
	Backlight Type	LED
	Brightness	400 Nits
	Product Life	> 50,000 Hours
	Viewing Angle	178°/178°
	Contrast Ratio	1400:1
	Panel Distance	<5 mm
NANO Touch Screen	Touch Principle	Capacitive Touch
	Response Time	4 ms
	Touch Points	20
	Touch Accuracy	32768*32768
OPS	OPS Computer	Standard Intel core I3/i5 processor/4G RAM/128G Solid State Disk
External Interfaces	HDMI	Support
	VGA	Support
	USB	Support

<b>External Interfaces</b>	RJ45	Support
	POWER Button	Support
	System Switching	Support
	Signal Switching	Support
	TV	Support
<b>OPS Interfaces</b>	Touch USB	Support
	RS232	Support
	VGA	Support
	HDMI	Support
	Mic in	Support
	Audio	Support
<b>Android Module</b>	Android 5.0 System	Support
<b>Windows Module</b>	Win 7 OS system	Standard Configuration
	Five Fingers Close The Screen	Standard Configuration
	Display Screen Moving Down	Standard Configuration
	System Recovery Software	Standard Configuration
<b>Accessories</b>	Bracket*1	Standard Configuration
	Screws*1	Standard Configuration
	Certificate of Qualification*1	Standard Configuration
	User Manual/Warranty Card*1	Standard Configuration
	Chalk Set*1	Standard Configuration
<b>Power Consumption</b>	Voltage	100-240V
	Power Consumption	<360W
<b>Certificates</b>	CCC	YES
	Energy-saving	YES
	Industrial-Grade LCD Panel	YES
	Lightning Test 4KV	YES

